

1 TYPICAL ROOF SECTION
3/4" = 1'-0"



2 TYPICAL ROOF SECTION
3/4" = 1'-0"



3 TYPICAL ROOF SECTION
3/4" = 1'-0"



4 BEAM GIRDER CONNECTION
3/4" = 1'-0"



5 TYPICAL ROOF SECTION
3/4" = 1'-0"



6 HSS BEAM TO COLUMN CONNECTION
3/4" = 1'-0"



7 LOAD OFFSET FROM JOIST PANEL POINT
3/4" = 1'-0"



NOTES:
1. THESE DETAILS APPLY TO ALL OPENINGS WITH A DIMENSION GREATER THAN 12".
2. THESE DETAILS APPLY TO FLOOR DRAINS, ROOF DRAINS, AND OVERFLOW DRAINS.
3. NOTE THAT ANGLE FRAMES AND OPENINGS MAY BE REQUIRED THAT ARE NOT INDICATED ON THE STRUCTURAL DRAWINGS.
4. COORDINATE WITH THE ARCHITECTURAL AND MEP DRAWINGS FOR SLEEVES, CURBS, INSERTS, ETC... NOT INDICATED ON THE STRUCTURAL DRAWINGS.
5. THE LOCATION OF SLEEVES AND/OR OPENINGS SHALL BE SUBMITTED TO DALLY ASSOCIATES FOR REVIEW
6. HEAVIER STRUCTURAL MEMBERS MAY BE REQUIRED FOR OPENINGS LARGER THAN INDICATED IN THIS DETAIL.

8 TYPICAL ROOF OPENING DETAIL WITH STL JOISTS
3/4" = 1'-0"



9 LOAD OFFSET FROM JOIST PNL PT.
3/4" = 1'-0"

02/13/2019
PERMIT / BID ISSUE

DATE: 02/13/19

CDA Architects
Member American Institute of Architects
#8445 State Hwy 249, Suite 200
Houston, Texas 77070
832/678-9232 Fax 832/678-9240

ASHTON GRAY DEVELOPMENT

TYPICAL FRAMING DETAILS

10,720 SF Retail Shell
SPRING STUEBNER @ SPRING PLAZA
SPRING, TEXAS 77389

Dally & ASSOCIATES
9800 Richmond Avenue, Suite 460
Houston, Texas 77042
t 713 337 8881
Texas Registered Engineering Firm
F-003426
PROJECT: 19-013-00

SCALE: AS NOTED
PROJECT: 19-013-07
DATE: 02 / 13 / 19

S501